

AIRx Spray N Go

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	0.15%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides.....	0.15%
INERT INGREDIENTS	99.70%
Total	100.00%

EPA REG. NO. 1839-220-44089

EPA EST. NO. 1459-PA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

Sold By: AIREX LABORATORIES
1640 Delmar Drive, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx Spray N Go

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	0.15%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides.....	0.15%
INERT INGREDIENTS	99.70%
Total	100.00%

EPA REG. NO. 1839-220-44089

EPA EST. NO. 1459-PA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

Sold By: AIREX LABORATORIES
1640 Delmar Drive, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx Spray N Go

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	0.15%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides.....	0.15%
INERT INGREDIENTS	99.70%
Total	100.00%

EPA REG. NO. 1839-220-44089

EPA EST. NO. 1459-PA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

Sold By: AIREX LABORATORIES
1640 Delmar Drive, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx Spray N Go

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	0.15%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides.....	0.15%
INERT INGREDIENTS	99.70%
Total	100.00%

EPA REG. NO. 1839-220-44089

EPA EST. NO. 1459-PA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

Sold By: AIREX LABORATORIES
1640 Delmar Drive, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx Spray N Go

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	0.15%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides.....	0.15%
INERT INGREDIENTS	99.70%
Total	100.00%

EPA REG. NO. 1839-220-44089

EPA EST. NO. 1459-PA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

Sold By: AIREX LABORATORIES
1640 Delmar Drive, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com

AIRx Spray N Go

SEE BULK CONTAINER FOR PRECAUTIONARY STATEMENTS & DIRECTIONS FOR USE

ACTIVE INGREDIENTS

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides.....	0.15%
Alkyl (68% C12, 32% C14) dimethyl	
ethylbenzyl ammonium chlorides.....	0.15%
INERT INGREDIENTS	99.70%
Total	100.00%

EPA REG. NO. 1839-220-44089

EPA EST. NO. 1459-PA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

CONTAINER HANDLING - Nonrefillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for recycling if available.

Sold By: AIREX LABORATORIES
1640 Delmar Drive, Folcroft, PA19032
(610) 534-8900 • Fax (610) 534-8912
www.airxlabs.com • email: sales@airxlabs.com